CLAIM LISTING

The following claim listing will replace all prior versions of the claims in this application.

1. (currently amended) A package with electronic circuitry, comprising:

a first card comprising at least one open cell and a locking tab;

a second card comprising at least one protruding receptacle having an open side, wherein said <u>at least one</u> protruding receptacle is matingly nested within said <u>at least one</u> open cell;

a third card comprising a first closed cell, mated to said second card such that said first closed cell spans across said open side; and

a fourth card comprising a second closed cell and <u>electronic</u> circuitry, mated to said third card such that said second closed cell is breachably aligned with said first closed cell[[,]]:

wherein said cards are non-conductive

wherein said locking tab is configured to releasably retain said package within an outer sleeve.

- 2. (canceled)
- 3. (currently amended) The package of claim 1, wherein at least a portion of said <u>at least one</u> receptacle is pliable.
- 4. (original) The package of claim 1, wherein a portion of said circuitry spans said second closed cell.
- 5. (original) The package of claim 1, wherein said fourth card includes an electronic monitoring device receiving area in communication with said circuitry.

- 7. (canceled)
- 8. (canceled)
- 9. (canceled)
- 10. (canceled)
- 11. (currently amended) A package with electronic circuitry, comprising: a first card comprising at least one protruding receptacle having an open side;

a conductive protective layer mated to said first card such that said protective layer spans across said open side; and

a second card comprising a closed cell, and electronic circuitry with a dielectric overlay, wherein said dielectric overlay is printed on said second card and spans at least a portion of said electronic circuitry; and,

wherein said second card is mated to said first card such that said dielectric overlay is adjacent to said protective layer and said closed cell is breachably aligned with said open side.

- 12. (original) The package of claim 11, wherein said cards are non-conductive.
- 13. (currently amended) The package of claim 11, wherein at least a portion of said <u>at least one</u> receptacle is pliable.

- 14. (currently amended) The package of claim 11, wherein said fourth second card includes an electronic monitoring device receiving area in communication with said circuitry.
- 15. (canceled)
- 16. (original) The package of claim 11, wherein a portion of said circuitry spans said closed cell.
- 17. (canceled)
- 18. (canceled)
- 19. (New) The package of claim 11 further comprising a third card, said third card comprising at least one open cell, wherein said at least one protruding receptacle is matingly nested within said at least one open cell.
- 20. (New) The package of claim 19, wherein said third card further comprises a locking tab, said locking tab being configured to releasably retain said package within an outer sleeve.